

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	260031	memory adj2 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:36
L2	336	1 and (resistive adj2 layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:43
L3	13	2 and (solid adj2 electrolyte)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:42
L4	41156	(solid adj2 electrolyte)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:42
L5	131	4 same (metallic adj2 layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:44
L6	1	1 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:43
L7	1	2 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:43
L8	380	1 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:43

L9	116	8 and resistive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:43
L10	39	9 and metallic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:44
L11	80	("6084796").URPN.	USPAT	OR	ON	2006/01/20 14:55
L12	37	11 and @ad<"20020705"	USPAT	OR	ON	2006/01/20 15:39
L13	9814	resistive adj2 layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:11
L14	29	13 same "solid electrolyte"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:14
L15	12	14 same (metal or metallic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:14
L16	88	13 and "solid electrolyte"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:14
L17	73	16 and (metal or metallic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:14
L18	34	17 and @ad<"20020705"	USPAT	OR	ON	2006/01/20 15:16
L19	0	"up electrode" same "resistor layer"	USPAT	OR	ON	2006/01/20 15:16
L20	4	"up electrode" same ("resistive layer" or "resistance layer")	USPAT	OR	ON	2006/01/20 15:19

L21	2902	electrode same ("resistive layer" or "resistance layer")	USPAT	OR	ON	2006/01/20 15:19
L22	118	21 same solid	USPAT	OR	ON	2006/01/20 15:20
L23	3	22 same matrix	USPAT	OR	ON	2006/01/20 15:23
L24	12	"resistive layer" same "solid electrolyte"	USPAT	OR	ON	2006/01/20 15:28
L25	34	"resistive layer" and "solid electrolyte"	USPAT	OR	ON	2006/01/20 15:29
L26	15	resistive near10 (resistance same electrolyte same (metal or metallic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:33
L27	623	resistive and (resistance same electrolyte same (metal or metallic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:33
L28	13	27 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:02
L29	278	27 and @ad<"20020705"	USPAT	OR	ON	2006/01/20 16:01
L30	276	29 not 28	USPAT	OR	ON	2006/01/20 15:56
L31	37	pmc same pcm	USPAT	OR	ON	2006/01/20 15:59
L32	1	"solid electrolyte" same "resistance matrix"	USPAT	OR	ON	2006/01/20 15:59
L33	1457	"solid electrolyte" same resistance	USPAT	OR	ON	2006/01/20 16:00
L34	0	33 same matallic	USPAT	OR	ON	2006/01/20 16:00
L35	96	33 same metallic	USPAT	OR	ON	2006/01/20 16:00
L36	47	35 same electrode	USPAT	OR	ON	2006/01/20 16:00
L37	0	36 same memory	USPAT	OR	ON	2006/01/20 16:00
L38	4	36 same device	USPAT	OR	ON	2006/01/20 16:00
L39	46	36 and @ad<"20020705"	USPAT	OR	ON	2006/01/20 16:02
L40	0	39 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:02